

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2833	(different with database ) and (tree NEAR5 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L2	0	(search\$6 OR find\$5 OR quer\$5) NEAR5 (different with database ) and (tree NEAR5 database) and (non\$tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L3	224	(search\$6 OR find\$5 OR quer\$5) NEAR5 (different with database ) and (tree NEAR5 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L4	12	(search\$6 OR find\$5 OR quer\$5) NEAR5 (different with database ) and (tree NEAR5 database) AND ((linear OR sequential) NEAR4 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L5	21	(search\$6 OR find\$5 OR quer\$5) NEAR5 (different with database ) and ((hierarchical OR tree) NEAR5 database) AND ((linear OR sequential) NEAR4 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L6	252	non\$tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L7	0	non\$tree NEAR2 index\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L8	0	non-tree NEAR2 index\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L9	1	non\$tree with index\$5	US-PGPUB; USPAT;	ADJ	ON	2011/11/10 14:29

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
L10	2	"10586534"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L11	1	"10586534" and update with index\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L12	3	(data or information or record or POI or (point NEAR3 interest\$5)) NEAR4 indexed with alphabetical order	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L13	3	"20020013657"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L14	1	"10586534" and non-target index	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L15	1	"10586534" and non-target index and flag	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L16	48	((linear OR sequential) NEAR4 database) same tree with index\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L17	18	((linear OR sequential) NEAR4 database) with tree with index\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L18	4	(20020013658  20030028316  20020052894  6980907).pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L19	0	(20020013658  20030028316  20020052894  6980907).pn. and sky	US-PGPUB; USPAT; FPRS;	ADJ	ON	2011/11/10 14:29

			EPO; JPO; IBM_TDB			
L20	0	(20020013658 20030028316 20020052894 6980907).pn. and key	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L21	0	updat\$10 with poi with seperat\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L22	20	updat\$10 with poi with (seperat\$10 OR different\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L23	0	updat\$10 with poi with (seperat\$10 OR different\$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L24	20	updat\$10 with interest\$6 with (seperat\$10 OR different\$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L25	5	updat\$10 with interest\$6 NEAR3 point with (seperat\$10 OR different\$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L26	0	updat\$10 with interest\$6 NEAR3 point with (TWO) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L27	0	updat\$10 with interest\$6 NEAR3 point with (second\$4) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L28	1	updat\$10 NEAR4 (record or data) NEAR5 (temporary) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L29	139	updat\$10 NEAR4 (record or data) NEAR5 (temporary) ADJ (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L30	25	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or seperat\$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L31	0	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or seperat\$10 or different) ADJ (database or storage or memory) AND (tree with	US-PGPUB; USPAT; FPRS;	ADJ	ON	2011/11/10 14:29

		database) AND (linear or sequential) NEAR2 search\$10	EPO; JPO; IBM_TDB			
L32	4	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or seperat\$10 or different) ADJ (database or storage or memory) AND (linear or sequential) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L33	4	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or seperat\$10 or different) ADJ (database or storage or memory) AND (linear or sequential or ISAM) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L34	43	(temporary or second\$4 or temp or seperat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L35	7	(temporary or second\$4 or temp or seperat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L36	2	("20060190507") and search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L37	1	"6980907".pn. and cach\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L38	0	"6980907".pn. and cach\$6 with search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L39	0	"6980907".pn. and cach\$6 same search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L40	1	"6980907".pn. and cach\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L41	1	"6980907".pn. and dynamic with search\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L42	1	"6980907".pn. and search\$10	US-PGPUB; USPAT;	ADJ	OFF	2011/11/10 14:29

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
L43	1	"6980907".pn. and (search\$10 or find\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L44	1	"6980907".pn. and (search\$10 with ("102" OR "103" OR "104"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L45	0	"6980907".pn. and (search\$10 with "201")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L46	0	"6980907".pn. and (search\$10 same "201")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L47	61	(search\$10 or find\$10) NEAR3 differential data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L48	0	(search\$10 or find\$10) NEAR3 differential data AND (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L49	1	(search\$10 or find\$10) NEAR3 differential data AND (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L50	3	(7158996  6792432  20020046209).pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L51	575	search\$10 with scan\$6 NEAR3 (row or record)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L52	411	search\$10 NEAR5 scan\$6 NEAR3 (row or record)	US-PGPUB; USPAT; FPRS; EPO; JPO;	ADJ	ON	2011/11/10 14:29

			IBM_TDB			
L53	0	search\$10 NEAR5 scan\$6 NEAR3 (row or record) NEAR5 (each or by)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L54	0	search\$10 NEAR5 scan\$6 NEAR3 (row or record) NEAR5 ("each" or "by")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L55	0	search\$10 same scan\$6 NEAR3 (row or record) NEAR5 ("each" or "by")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L56	9	(temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L57	9	search\$10 same scan\$6 NEAR3 (row or record) NEAR5 (short or small)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L58	767	(search\$10 OR scan\$6 OR sequential) NEAR3 (row or record or list) NEAR5 (short or small)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L59	37	(scan\$6 OR sequential) NEAR3 (row or record or list) NEAR5 (short or small) and ("707"/\$.ccls. or 1/1.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L60	568	((linear OR sequential) NEAR4 Search\$6) and (tree with index\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L61	0	((linear OR sequential) NEAR4 Search\$6) and (tree with index\$5) and (707/609,616,621,641.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L62	105	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) and (tree with index\$5) and (1/1.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L63	93	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) and (tree with index\$5) and (1/1.ccls.) and database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29

L64	73	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) and (tree with index\$5) and (1/1.ccls.) and database with (record or row or table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L65	8	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) with (small or short or few) and (tree with index\$5) and (1/1.ccls.) and database with (record or row or table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L66	6840	updat\$10 with (record or data) with (second\$4 or different or separat\$5) NEAR2 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L67	55	updat\$10 with (record or data) with (second\$4 or different or separat\$5) NEAR2 (database or storage or memory) and (poi or point NEAR2 interest)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L68	51	updat\$10 NEAR4 (record or data) NEAR5 (second\$4 or different or separat\$5) NEAR2 (database or storage or memory) and (poi or point NEAR2 interest)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L69	9	updat\$10 NEAR4 (record or data) NEAR5 (second\$4 or different or separat\$5) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L70	9	updat\$10 NEAR4 (record or data) NEAR5 (second\$4 or different or separat\$5) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L71	25	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L72	0	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L73	4	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) AND (linear or sequential) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L74	4	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) AND (linear or sequential or ISAM) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L75	45	(temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10	US-PGPUB; USPAT; FPRS;	ADJ	ON	2011/11/10 14:29

			EPO; JPO; IBM_TDB			
L76	9	(temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L77	8	navigation AND ((point\$2 NEAR3 interest\$3) OR POI) with (my address or address book) with search\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L78	0	navigation AND ((point\$2 NEAR3 interest\$3) OR POI) with (my address or address book) with favorites with search\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L79	0	navigation AND ((point\$2 NEAR3 interest\$3) OR POI) with (my address or address book) with favorit\$ with search\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L80	4	navigation AND ((point\$2 NEAR3 interest\$3) OR POI) with (my address or address book) with search\$6 AND (user NEAR5 (save OR saving OR stor\$5 OR updat\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L81	2	navigation AND ((point\$2 NEAR3 interest\$3) OR POI) with (my address or address book) with search\$6 AND (user NEAR5 (save OR saving OR stor\$5 OR updat\$5)) NEAR4 (my address or address book)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L82	1767	navigation AND search\$5 with (my address or address book or favorit\$4 or my book)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L83	22	navigation AND search\$5 with (my address or address book or favorit\$4 or my book) with ((point\$2 NEAR3 interest\$3) OR POI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L84	0	"10586534" and requir\$4 with tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/11/10 14:29



			IBM_TDB			
L85	5	navigation AND search\$5 with (my address or address book or favorit\$4 or my book) with ((point\$2 NEAR3 interest\$3) OR POI) and edit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L86	123	navigat\$10 NEAR2 (device or appratus or system) AND search\$5 with (my address or address book or favorit\$4 or my book) same edit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L87	30	navigation NEAR2 (device or appratus or system) AND search\$5 with (my address or address book or favorit\$4 or my book) same edit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L88	2	navigation NEAR2 (device or appratus or system) AND search\$5 with ((point\$2 NEAR3 interest\$3) OR POI) with (my address or address book or favorit\$4 or my book) AND edit\$5 NEAR4 (my address or address book or favorit\$4 or my book)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L89	4	(20020013658 5204958 6980907 4611272).pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29

11/ 10/ 2011 2:36:20 PM  
C:\ Users\ yzhao\ Documents\ EAST\ Workspaces\ 10586534 RCE2 final.wsp